

AMENDMENT

Please amend the claims as follows:

c 1

1. (Amended) A method for treating the symptoms of an immediate hypersensitivity reaction caused by an amphiphilic carrier comprising administering to a subject a hypersensitivity reducing effective amount of a complement activation inhibitor, active ingredient(s) and the amphiphilic carrier, wherein said amphiphilic carrier is polyethoxylated oil or a derivatized polyethoxylated oil, and wherein the active ingredient is taxol, paclitaxel, Doxil, althesin, cyclosporin, diazepam, didemnin E, echinomycin, propamid, steroids, teniposide, doxorubicin, daunorubicin, amphotericin B, hemoglobin, polynucleotide or a multivitamin.

2. (Amended) The method according to claim 1 wherein said composition further comprises a pharmaceutical solvent and additional emulsifiers or detergent.

3. (Amended) The method according to claim 2 wherein the pharmaceutical solvent is selected from the group of hydrophilic or hydrophobic solvents.

4. (Amended) The method according to claim 1 wherein the polyethoxylated oil is polyethoxylated castor oil.

5. (Amended) The method according to claim 2 wherein said active ingredient is poorly soluble in water-based.

c 2

10. (Amended) The method of claim 1 wherein the administration includes: administering to said individual the complement activation inhibitor prior to the administration of said active ingredient.

c 3

14. (Amended) The method according to claim 1 wherein said amphiphilic carrier is selected from the group consisting of liposomes, colloidal dispersions, particulate biomaterials and radiocontrast agents.